

*Solutions for advance need
of poultry industry*



PRODUCT CATALOGUE

POULVET SOLUTIONS

CATEGORY

PRODUCTS

Biosecurity Products

Virgone-BS
Biovir-4X

Water Acidifier

Acidamix

Fly Control Range

Larnil
Flyrid

Antibiotics

Levoxbro
Pvdox-N
Bichlor-Forte
Cipropv-TZ

Nutraceuticals

Goutkill-P
Vitapower-A
Rcferrol
Immunorich
Carnitoxcyl
Acitout
Broncuff
Vitablend-Gro
Toxicid-PV

ABOUT

Poultet Solutions is one of the leading innovator and manufacturer of poultry medicine in Jharkhand, Bihar, Odisha, MP and Maharastra. Since our inception we have aimed to provide unique and affordable solutions contributing to the health, growth and wellbeing of animals as well as our farmers.

We look forward to build a paramount reputation and a crucial relationship with the customers across the country. With years of experience in the industry, we have the expertise to thoroughly and efficiently serve our customers to ensure they're never disappointed.

Mission

Making high quality products through optimum technology and utmost care to create & deliver unique and affordable solutions.

Primary focus is on developing and nurturing health, growth of animals as well as humans.

Use our expertise to upskill the farmers and customers and increase sustainability.

VIRGONE-BS

Powerful Broad Spectrum Disinfectant

VIRUCIDE

BACTERICIDE

FUNGICIDE

REMOVE BIOFILM

HIGH LEVEL DISINFECTION

Advantage :

- VIRGONE-BS has a wide spectrum of activity against viruses fungi, bacteria, yeast, mould and spores.
- It has halogen releasing agents which release chlorine which it self acts as disinfectant
- It can be used in the presence of birds which presents secondary infection during disease outbreak condition.
- Easy to use and stable upto 10 days after mixing.
- It is environmental friendly and Biodegradable.

Composition

Patassium Monopresulphate	-	49.9%
Halogen Releasing Agent	-	10%
Anti-Caking Agent	-	0.2%
Buffer and Excipients	-	q.s.

Application

Surface and equipment disinfection
 Water System disinfection
 Disinfection foot dips preparation
 Aerial disinfection

Dosing

Fogging (In presence of Birds)	5g / Ltr of water
Disease Outbreaks (In presence of Birds)	5g / Ltr of water
Drinking Water Treatment	1g / Ltr of water
Disinfection of Equipment Farm Foot Dips Hatcheries	5g / Ltr of water



Pack: 100 & 500 gm.

BIOVIR-4X

BROAD SPECTRUM DISINFECTANT
 VIRUCIDAL | BACTERICIDAL | FUNGICIDAL

Characteristics

- A New generation of QACs with an increased germicidal activity.
- Active in presence of organic matter and hard water.
- Active on coated viruses, naked viruses, on Gram- and Gram + bacteria, bacterial spores and fungi
- It has the capacity stick to vertical surface and delay the evaporation of the product.

Dosing

1. Hatchery, Cold room, Cage Mats, Egg, Chick trays and crates, Foot dip, Wheel Dip (For bath Spraying and Mapping) 5ml/litre of water
2. Presence of Birds during disease outbreak (Viral, Bacterial and Cocci) 2 ml/litre of water (repeat the spray in 8 hours time)
3. Presence of Birds (as routine biosecurity measures) 1 ml/2 litre of water (repeat every 24 hours)

Composition:

• Glutraraldehyde	18%
• Benzylkonium Chloride	14%
• Didecyl dimethyle ammonium chloride	12%
• Terpeneol	2%
• Surfactant	4%



Pack: 500 ml, 1ltr, 5 ltr

ACIDAMIX

Gut pH Optimizer

Acidamix is an ecofriendly gut acidifier to inhibit the pathogenic bacterial growth such as E-coli and salmonella and for reduction of possible toxic metabolites like ammonia and amines.

Acidamix is a buffered acidifier used in hard alkaline & drinking water for better acidification to maintain Gut pH & healthy bacterial flora in the poultry digestive tract

Composition :

A blend of food grade acids viz Lactic acid, Citric acid, Acetic acid, Propionic acid, Formic Acid, along with their salts & buffers.

Salient Features :

- To decontaminate water
- To lower pathogen load
- To improve the FCR
- Users friendly buffered liquid acidifier. Buffering action ensures maintenance of optimum pH throughout digestive tract. Control colonization of enteropathogenic bacteria.

Generally Recognised as safe (GRAS) Chemicals.

Applications:

pH of water at source	Recommended dose in drinking water
8.5 and above	4.5 ml/ 10 lit
8 to 8.5	3-4 ml/ 10 lit
7 to 8	1-2 ml/ 10 lit
Below	0.5-8 ml/ 10 lit



Pack: 1 Ltr. & 5 Ltr.

TOXICID-PV

Powerful Mycotoxin Binder

Binds wide range of harmful toxins

Protects animals against mycotoxicosis

Improves carcass quality

Maximizes immune response

Increase productivity and FCR

Composition:

- HSCAS
- Activated Carbon
- MOS
- Organic Acids
- Lipotropic Element
- Humic Acid

Advantage:

- Binds Aflatoxin and mycotoxin and does not bind other ingredients like vitamins, minerals Antibiotics therefore nutritional value of feed is retained MAXimize FCR,
- Productivity, Immune response
- Cost effective

Dosing:

For routine use mix thoroughly 500 gm of Toxicid-PV per ton of feed

Under high risk conditions, mix 1 kg. of Toxicid-PV per ton of feed.



Pack: 25 Kg.

LARNIL

Larnil for Spray: LARVICIDAL


- To be used on poultry manure, garbage, sewage, filth, dumping areas etc. Mix. 100 ml of Larnil is 10 liters of water and make homogenous dilution and spray.
- Apply Larnil spray on the top layer of the fly breeding area. The quantity of water should be sufficient to wet the upper 10-15 cm of the breeding medium thoroughly.
- Use sprayer with a nozzle which delivers coarse droplets deposition.
- Repeat application may be carried out after 2-3 weeks interval, but in any case after further deposition of untreated material.
- Change in the spray volume and interval are depending on the surface condition of the manure and the fly population.
- Use Larnil directly on wet fly breeding areas such as sewage canals, hatchery waste, garbage dumping and water logged area for better fly control.

Benefits:

- It Improves litter quality.
- It reduces the unwanted noxious gases like ammonia, H₂S from litter.
- It improves the litter dryness in turn effects the unwanted populations in litter.

Composition :

Each 1 Liter Contains extracts of Azadirachta Indica, Ocimum Tenuiflorum Allium Sativum, Tamarindus Indica Sulfer, Emblica Officinalis, Nicotine sulfate Pyrethrum and Rolenone



Dosage :

For Spraying on Litter
Layers : 400 ml.-600 ml. / 10,000
Birds capacity shed
Breeders : 600 ml. / 2,000
Birds capacity shed

Application on Litter :

Take 100 ml. of LARNIL in a container, add 10 liters of water to the LARNIL liquid and mix well, for better dispersibility and spray with sprayer on litter.

FLYRID

GRANULAR ATTRACTANT FLY BAIT

- **Fast Acting**
- **Ready To Use Scatter Bait**
- **Contains Pheromone Based Attractant**
- **Long Lasting Effect**
- **Safe For Environment**

Flyrid granular fly bait Kills flies in 60 seconds bringing them to death. With powerful irresistible aroma, seductive pheromone, colour & sweet agents.

Features:

- Safe for Human & Environment
- Easy to use
- Highly Effective
- Long Lasting Effect

How to Apply:

Apply the bait in many locations, Avoid cool or windy locations because fly prefer warm sites for resting.

- **Scatter Applications**
- **Bait Station**
- **Paint on Application**

(Add Flyrid with water 200 gm in 800 ml water)

Contents:

• Sucrose	70%
• Fructose	15%
• Jimson Weed	5%
• Pheromone Based Attractant	5%
• Botanical Extract	2.5%
• Stabilizer	2.5%

Pack: 1 Kg.



Levofloxacin & Bromhexine HCL Solution

LEVOXBRO

लेवोक्सब्रो

The **LEVOXBRO** is very active against aerobic Gram-negative bacilli and cocci including the Enterobacteriaceae, Haemophilus influenzae, Moraxella catarrhalis (Branhamella catarrhalis), and Neisseria gonorrhoeae and are also active against Pseudomonas aeruginosa

Composition :

Each 1 Ltr. contains :

Levofloxacin Hemihydrate	:	10% w/v
Bromhexine HCL	:	0.75% w/v
Vitamin A	:	500 IU
Vitamin D3	:	500 IU
Vitamin B2	:	20 mg
Vitamin B6	:	20 mg

Feeding Direction:

Prevention: 2.5 - 5.0 mg. per kg body wt.

(1 ml. solution in 2 litres of water)

Curative: 10 mg. per kg. body wt.

(1 ml. solution in 1 litre of water)

or as directed by the veterinarian

Bromhexine :

Respiratory tract infection

Use with an antibacterial

Bromhexine has been shown to enhance the penetration of Levofloxacin into bronchial & is used as an adjuvant in the treatment of respiratory infections

Withdrawal Period

Chicken : 28 days Egg : 7 days

Poultry and Animal Feed Supplement



Pack: 500 ml. & 1 Ltr.

PVDOX-N

Water Soluble Powder

Doxycycline & Neomycin Powder with Essential Vitamins

Composition :

Each gram contains

Doxycycline HCL	:	100 mg
Neomycin Sulphate	:	100 mg
Excipients	:	q.s.

Indications :

- Prevention and treatment of Early chick mortality, Fowl Cholera & Pullorum disease Infectious Synovitis, Colisepticemia, secondary bacterial Infections.
- Treatment of secondary complications of CRD.
- Treatment of E.Coli and Salmonella infections.
- Mixed Infections and Non Specific Diarrhoea Treatment.

Administration :

- For Prevention of early chick mortality : 1 gm in 10 litre of drinking water. for 3-5 days for 200 chicks, repeat after 4th week.
- For treatment of early Chick Mortality, Salmonellosis, Fowl Typhoid and Necrotic Enteritis : 1 gm in 2-4 ltrs. of drinking water 4-5 days. or as directed by veterinarian



Pack: 100 gm.

BIOCHLOR FORTE

CHLORAMPHENICAL POWDER WATER SOLUBLE

बायोक्लोर फोर्ट

Biochlor-Forte contains chloramphenicol, having bacteriostatic antibiotic activity against the pathogens of Gastro Intestinal Tract & Upper Respiratory Tract. It is well absorbed on oral administration, distributed widely throughout the body. Chloramphenicol is extremely lipid-soluble; it remains relatively unbound to protein and is a small molecule. It has a large apparent volume of distribution and penetrant effectively in to all tissues of the body, including the brain. Distribution is not uniform, with highest concentrations found in the liver and kidney, with lowest in the brain.

Composition :

Each Gram Contains :

Vitamin C	20 mg.
Chloramphenicol	200 mg.
Excipients	q.s

With Essential Vitamin Added

INDICATIONS / BENEFITS

Broad Spectrum Antibiotic Controls
& Prevents Early Chicks Mortality
Enteritis, Severe Systemic Infections Like
CRD, E-coli Infectious Coryza.
Salmonellosis Fowl Cholera, Omphalitis
& Non Specific Bacterial Infections.

DOSAGE :

Chicks/Grower :

1gm-2gm in 2-4 Ltr of Drinking Water for 5 to 7 days.
Boiler / Layer

1 gm-2gm in 2-3 Ltr. of Drinking Water for 5 to 7 days

Breeders:

1gm-2gm in 2 Ltr of Drinking Water for 5 to 7 days.
or as directed by Veterinarian.



Pack: 100 gm.

CIPROPV-TZ

(Ciprofloxacin & Tinidazole)

Information:

Ciprofloxacin + Tinidazole combination has the advantage of being effective against both bacteria & Protozoa. This combination can also, be used other systemic infections caused by susceptible organisms.

Benefits:

It is used for the treatment of colibacillosis Pullorum & fowl + Typhoid, Salmonella Infections, white Diarrhea, Coryza, and other Secondary bacterial infections of viral outbreaks.

Composition:

Each 5 gm Contains

Ciprofloxacin	500 mg
Tinidazole	50 mg
Vitamin B6	15 mg
Niacinamide	60 mg
Water Soluble base	q.s.

Dosage:

Broilers, Breeders & Layers

Preventive: 1g/1 Litre of drinking
water for 3 to 5 days



Pack: 100 & 500 gm.

Goutkill-P

Complete care for Kidney problems and Gout

सभी तरह की किडनी समस्याओं के लिए

Composition :

Each 10ml. of Syrup contains :

a) powder of :

Black bitumen, (Shilajeet) Prcd.	:	200 mg.
Classical Ay. Preparation, Prcd.	:	150 mg.
L.ash of Raphanus Sativus, Prcd.	:	150 mg.
Piper Cubeba, Fr.	:	100 mg.
Sodii Chloridum, Prcd.	:	50 mg.
Classical Ay. Preparation, Prcd.	:	50 mg.

b) Aqueous Extracts Derived from

Boerhaavia Diffusa, Rt.	:	500 mg.
An equi mix of roots of ten medicinal plants, Prcd.	:	500 mg.
Saccharum Officinatum, Rt.	:	500 mg.
Tribulus Terrestris, Fr.	:	450 mg.
Parmelia Perlata, Wh. Th.	:	450 mg.
Crataeva Nurvala, St. Bk.	:	400 mg.
Dolichos Biflorus, Sd.	:	400 mg.
Bergenia Ligulata, Rz.	:	100 mg.
Butea Monosperma, Fl.	:	100mg.
Mimosa Pudica, Sd.	:	100mg.
Solanum Nigrum, Pl.	:	100mg.
Cucumis Utilissimus, Sd.	:	100mg.
Berberis Lycium, St.	:	50mg.
Sugar Base	:	q.s

Indications:

To Manage & Treat Visceral & Articular Gout

To Manage & Treat Urolithiasis

To Manage & Treat Ascites

To Maintain Normal Functioning Of Kidney

Dosage:

For Prevention - 1 ml. per liter of drinking water 24 hrs. for first 2 weeks or as recommended by consultant.

For Treatment - 2 ml. per liter of drinking water 24 hrs. for 5 to 7 days or as recommended by consultant.



Pack: 1 Ltr. & 5 Ltr.

Vitapower-A

Composition:

Each ml. Contains

Vitamin-A Palmitate.....1,00,000 I.U.

Dose:

Chicks	:	2 ml / 100 birds
Growers & Broilers	:	5 ml / 100 birds
Layers	:	5-10 ml / 100 birds

Benefits:

- Supplementation of Vitamin A in diets results in Improved carcass traits
- Prevents heat stress related depression in performance
- Better laying performance Maintains immunity during heat stress
- Works against gout, respiratory infections, gut infections
- Supportive therapy during coccidial infestation

Recommended during chick rearing to prevent infections and for better growth



Pack: 500 ml. & 1 Ltr.

RC FERROL

The Power of Iron

Nutritional Value Per 21 g

Malt Extract	:	4.52 g
Calcium Gluconate	:	360 mg
Ferric Ammonium Citrate (equivalent to 64.5 mg of Fe)	:	300 mg
Copper Sulphate	:	100 mg
Cobalt Chloride	:	1.5 mg
Cholecalciferol	:	3600 IU (Stabilized vitamin D3)
Niacinamide	:	45 mg
Biotin	:	75 mcg
Folic Acid	:	1.5 mg
Cyanocobalamin	:	15 mcg (Vitamin B12)
Flavoured Base	:	q.s.
Colour : Caramel		

Indications:

Anemia
Iron Deficiency Anemia
Skin Infections
Osteoporosis

Benefits:

- Improves growth and liveability
- Acts as an excellent binding agent for other feed supplements
- Enhances moulting process in shrimp
- Improves immunity & maturation
- Makes brooder healthy & Stronger
- Eradicates loose shell disease in shrimp

Dosages:

Chicks: 30 gm. per 1000 birds daily.
Layers: 20 gm. per 100 birds daily.
Broilers: 20 gm. per 100 birds daily.
Breeders: 40 gm. per 100 birds daily.



Pack: 1.25 Kg. & 5 Kg.

IMMUNORICH

Powerful and effective immunity booster liquid.

Plus

Composition:

Each 500 ml. contains:

Vitamin E	:	50,000 mg.
Selenium	:	100 mg.
Biotin	:	2500 mcg.
Zinc Sulphate	:	10,000 mg.
Ocimum Sanctum	:	5000 mg.
Shilajit	:	500 mg.
Tryptophan	:	2500 mg.
Tinospora Cordifolia	:	5000 mg.
Ashwagandha	:	5000 mg.
Excipients	:	q.s.

Indications:

- To optimize immune system and to fight infections
- Helps prevent diseases during first week of age
- Helpful in pre & post vaccination condition
- During outbreaks of immunosuppressive disease
- Ocimum sanctum boost up the immune system to control invading bacteris & viruses
- Helpful overcome vaccination failure
- Helps minimize stress during transportable weather change, debeaking etc.

- **Shilajit:** Function as an antioxidant to improve the body's immunity system and energy booster.
- **Tryptophan:** Maintenance of the Proteivse muscles. Enzymes and neurotransmitters.
- **Tinospora cordifolia (Giloy):** In traditional medicine to treat various disorders and to boost the immune system.
- **Ashwagandha:** Beneficial to improve growth and carcass traits in broiler chicken.

Dosages:

Per 1000 Birds to be given orally in water for 5 to 7 days

	0 to 2 Weeks	3 to 5 Weeks	6 Weeks onwards
Broilers	30 ml.	50 ml.
Layers	30 ml.	50 ml.	60 ml. to 80 ml.
Breeders	30 ml.	50 ml.	100 ml. to 120 ml.



Pack: 500 ml. & 1 Ltr.

Carnitoxcyl^{PFS}

Ultimate Care For Liver

Why Choose Carnitoxcyl?

Carnitoxcyl helps to improve renal function and prevent kidney damage or slow the progression of kidney failure.

Nutritional Value per Litre

L-Carnitine Hydrochloride	:	25 g
Sorbitol	:	200 g
Magnesium sulphate	:	35 g
Lysine hydrochloride	:	9 g
Choline chloride	:	150 g
Betaine hydrochloride	:	18 g
DL-Methionine	:	15 g
Natural Nutrients	:	15 g

(Andrographis Paniculata, Silymarin)

Benefits:

- Eliminate Toxins from the body.
- Support during or after antibiotic treatment.
- Speedy recovery from liver diseases & Enhances immunity.
- Better productivity & performance.
- Improved livability.
- Uniform growth.

Featured Facts

- Good for Liver - Regenerate liver cells.
- Better Digestion - Increases bile secretion & help in digestion.
- Natural Diuretic - Increases urea excretion in the urine.
- Cholesterol Reduction - Decreases cholesterol level.

Dosage:

- Chicks: 5ml / 100 Chicks
- Growers: 10ml / 100 birds
- Adults Birds: 20ml / 100 birds

To be administered through drinking water daily for 5-7 days or as advised by the Veterinarian



Pack: 1 Ltr. & 5 Ltr.

Acitout

FOR ASCITES

Acitout is a powerful herbal composition which supports the body's natural ability to remove fluids and prevents water retention as well as it helps tone the urinary system and promotes health of the urinary tract

Composition:

Kasni	:	500 mg
Punarnava	:	500 mg
Amla	:	500 mg
Giloy	:	500 mg
Varun ki Chhal	:	500 mg
Gokhru	:	500 mg
Saunf	:	500 mg
Makoy	:	500 mg
Navsadar	:	500 mg
Gauzban	:	500 mg

Characteristics:

- Acitout helps tone the urinary system and promotes health of the urinary tract.
- Acitout helps maintain efficient Kidney Function.
- Acitout supports the body's natural ability to remove fluids and prevents water retention.
- Acitout promotes liver health.

Dosing :

- 1 gm in 3 ltrs. of water (in mild cases)
- 1 gm in 2 ltrs. of water (in Severe cases)

Procedure:

Take 100 gms of Acitout in 1 Ltr of water
Stir until dissolve and pour it into drinking water tank.

Pack: 100 & 500 gm.



Broncuff

Respiratory Booster

Composition:

Each 100 ml. contains

Menthol	:	1600 mg
Eucalyptus Oil	:	1600 mg
Methyl Chevicol	:	1000 mg
Thymol	:	2000 mg
Camphor	:	1000 mg
Gingerol	:	40 mg
Allicin	:	40 mg
Sorbitol	:	100 mg
Excipients	:	q.s.

Dosages :

In Drinking water : For Prevention - 10-20 ml. Per 100 liters of water.

For Treatment - 30-50 ml. Per 100 liters of water.

For farm spray - 100 ml. Per 5 liters of water.

Mixing Instructions:

Dilute 150-250 ml. of Broncuff in 1000 liters lukewarm water.

Then use this solution for drinking treatment or farm spray.

Dont't use Broncuff along with antibiotics or any other water sanitizer / Disinfectant.

Enriched with Ocimum Sanctums & Azadirachta Indica.

A unique Combination of Essential Oil & Herbs

Benifits:

- Relieves respiratory Congestion of any origin.
- Block inflammatory receptors.
- Relieves from bronchitis, laryngitis & febrile symptoms.
- Improve respiration & reduces mucus.
- Increase penetration of antibiotics.



Pack: 500 ml.

Vita blend^{gro}

Liquid Feed Supplement containing Vitamins & Amino Acid

Composition:

Each 500ml contains:

Methionine Activity (Methionine Hydroxy Analogue free acid)	:	127.6 gm
Choline Chloride	:	63.125 gm
Lysine Hydrochloride	:	63.125 gm
Sodium	:	459.00 mg
Phosphorus	:	154.16 mg
Magnesium	:	595.4 mg
Zinc	:	215.7 mg
Ferrous (Iron)	:	223.4 mg
Copper	:	158.8 mg
Cobalt	:	206.25 mg
Manganese	:	384.55 mg
Vitamin B6	:	100 mg
Vitamin B12	:	500 mcg
Folic Acid	:	33 mg
Lysine	:	7.3%
Methionine	:	3.5%
Arginine	:	4.3%
Histidine	:	3.1%
Tyrosine	:	2.8%
Cystine	:	0.4%
Tryptophan	:	1.4%
Phenylalanine	:	5.5%
Threonine	:	3.9%
Leucine	:	9.1%
Isoleucine	:	8.1%
Valine	:	7.1%
Glycine	:	2.8%

Indications:

- Increases egg production in layers / Breeders.
- Improves FCR in broilers
- Acts as immuno-stimulant.

Usages :

For 100 Birds daily for 5 days

- Chiks / Growers : 5-10 ml.
- Layers : 10-20 ml.
- Broilers : 5-10 ml.
- Breeders : 15-30 ml.

to be repeated after every 10 days
or as recommended by the specialist



Pack: 1 Ltr. & 5 Ltr.



Quality and Trust. We deliver!

POULVET SOLUTIONS

MANUFACTURING UNIT: Dewas Naka, Indore-452010 (M.P.)

Office: Block No. 1: Prabhat Road, Erandwane Pune, Maharashtra-411004
E-mail: poulvetsolutions@outlook.com | Website: www.poulvetsolutions.com